




Kit 1281

HYUNDAI Getz, 3-dr Hatchback, 02-04, 05-
HYUNDAI Getz, 5-dr Hatchback, 02-04, 05-



HYUNDAI Getz, 3-dr Hatchback, 02-04, 05-

xx kg / xx lbs + 7 kg / 15,4 lbs + 3 kg / 6,6 lbs = **Max. 50kg/110 lbs**

HYUNDAI Getz, 3-dr Hatchback, 02-04, 05-

xx kg / xx lbs + 7 kg / 15,4 lbs = **Max. 75kg/165 lbs**

80 km/h / 50 Mph 130 km/h / 80 Mph
 40 km/h / 25 Mph

+ Kit XXXX

x1

x4

x4

x4
 x4

480R/754

x1

x4

x4

x4

480

x1

x4

x4

750

| | | | | |
|----------------------|----|----------------------|----------|----|
| x2 x2 x2 x4 | x2 | x2 x2 x4 x4 | x2 x2 | x2 |
|----------------------|----|----------------------|----------|----|

108 x 4


07 x 4

x 1


Kit




3



754




x/y




750



1




2




| | X |
|--|------|
| HYUNDAI Getz, 3-dr Hatchback, 02-04, 05- | 32,5 |
| HYUNDAI Getz, 5-dr Hatchback, 02-04, 05- | 32,5 |

1



2



| | Y |
|--|------|
| HYUNDAI Getz, 3-dr Hatchback, 02-04, 05- | 32,5 |
| HYUNDAI Getz, 5-dr Hatchback, 02-04, 05- | 32,5 |





480R




480

1





2




| | X inch | X mm |
|--|----------------------------------|--------|
| HYUNDAI Getz, 3-dr Hatchback, 02-04, 05- | 38 ³ / ₈ " | 976 mm |
| HYUNDAI Getz, 5-dr Hatchback, 02-04, 05- | 38 ³ / ₈ " | 976 mm |

1



2



| | Y inch | Y mm |
|--|----------------------------------|--------|
| HYUNDAI Getz, 3-dr Hatchback, 02-04, 05- | 38 ³ / ₈ " | 976 mm |
| HYUNDAI Getz, 5-dr Hatchback, 02-04, 05- | 38 ³ / ₈ " | 976 mm |

4**HYUNDAI Getz, 3-dr Hatchback, 02-04, 05-**

07




108



07



108

**SRA**

108



07



108



07

**HYUNDAI Getz, 5-dr Hatchback, 02-04, 05-**

07



108



07



108



07



108



07










108






480R/754


480




750






5



| | X mm | Y mm | X inch | Y inch |
|--|--------|--------|---------|---------|
| HYUNDAI Getz, 3-dr Hatchback, 02-04, 05- | 310 mm | 690 mm | 12 1/4" | 27 1/8" |
| HYUNDAI Getz, 5-dr Hatchback, 02-04, 05- | 330 mm | 700 mm | 13" | 27 1/2" |



HYUNDAI Getz, 3-dr Hatchback, 02-04, 05-



- GB/US Tighten alternately
- D Die Schrauben abwechselnd anziehen
- F Serrer alternativement chaque côté
- NL Afwisselend aan de linker- en de rechterkant aandraaien
- I Alternare il serraggio delle viti
- E Apretar alternativamente
- PT Aperte alternadamente
- S Dra åt växelvis
- FIN Kierrä vuorotellen
- EST Pinguldage vaheldumisi
- LAT Pievelciēt pamīšus
- LIT Užsukinėkite pakaitomis
- PL Śruby dokręcaj naprzemiennie
- RU Затягивайте попеременно

- CZ Pokręťta багаžníka dokręcaj dokręcaj naprzemiennie.
- SK Doťahujte striedavo
- SLO Privijajte izmenično.
- HR Naizmjenočno zategnite
- HU Egymástól függetlenül szorítandó
- GR Σφιγγετε εναλλάξ
- TR Dönüşümlü sıkın

中文 交替拧紧

한국어 번갈아 가며 조이십시오.

日本語 交互に締め付けてください。

ไทย ขึ้นในแบบสลับ





6





480R/754



480





THULE
SWEDEN
**ONE
KEY
SYSTEM**



- 544 (x4)
- 596 (x6)
- 588 (x8)
- NA 510 (x10)
- EUR 452 (x12)
- ASIA



WW ▶ Thule Sweden AB, Box 69, 330 33 Hillerstorp, SWEDEN
 NA ▶ Thule Inc., 42 Silvermine Road, Seymour, Connecticut 06483, USA

info@thule.com
 customer.service@thule.com

www.thule.com